

ACOUSTIC



PN Phosphor Bronze with NANOWEB® Technology

16002	Extra Light
16027	Custom Light
16052	Light
16077	Light/Medium
16102	Medium
16182	HD Light

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.013	.017	.025	.032	.042	.053

16152 12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027



PN 80/20 Bronze with NANOWEB Technology

11002	Extra Light
11027	Custom Light
11052	Light
11077	Light/Medium
11102	Medium
11182	HD Light

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.013	.017	.025	.032	.042	.053

11306 Baritone

B-1	F#-2	D-3	A-4	E-5	B-6
.016	.022	.030	.047	.059	.070

11308 8-String Baritone

B-1	F#-2	D-3	A-4	E-5	B-6
.016	.022	.030	.047	.059	.070
		.012	.014		

11152 12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027



PN 80/20 Bronze with POLYWEB® Technology

11000	Extra Light
11025	Custom Light
11050	Light
11075	Light/Medium
11100	Medium
11125	Resonator

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.016	.018	.028	.035	.045	.056

11150 12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027

ELECTRIC



PN Nickel Plated Steel with OPTIWEB® Technology

19002	Super Light
19027	Custom Light
19052	Light
19077	Light/Heavy
19102	Medium

E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
.009	.011	.016	.024	.032	.042	-	-
.009	.011	.016	.026	.036	.046	-	-
.010	.013	.017	.026	.036	.046	-	-
.010	.013	.017	.032	.042	.052	-	-
.011	.014	.018	.028	.038	.049	-	-

19007 7-String Super Light

.009	.011	.016	.024	.032	.042	.052	-
------	------	------	------	------	------	------	---

19057 7-String Light

.010	.013	.017	.026	.036	.046	.056	-
------	------	------	------	------	------	------	---

19062 8-String Light

.010	.013	.017	.030	.042	.054	.064	.074
------	------	------	------	------	------	------	------

19074 7-String Light/Heavy

.010	.013	.017	.026	.036	.046	.059	-
------	------	------	------	------	------	------	---

19106 7-String Medium

.011	.014	.018	.028	.038	.049	.059	-
------	------	------	------	------	------	------	---



PN Nickel Plated Steel with NANOWEB Technology

12002	Super Light
12027	Custom Light
12052	Light
12077	Light/Heavy
12102	Medium
12152	Heavy
12302	Baritone

E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
.009	.011	.016	.024	.032	.042	-	-
.009	.011	.016	.026	.036	.046	-	-
.010	.013	.017	.026	.036	.046	-	-
.010	.013	.017	.032	.042	.052	-	-
.011	.014	.018	.028	.038	.049	-	-
.012	.016	.024	.032	.042	.052	-	-
.012	.016	.022	.038	.052	.068	-	-

12007 7-String Super Light

.009	.011	.016	.024	.032	.042	.052	-
------	------	------	------	------	------	------	---

12057 7-String Light

.010	.013	.017	.026	.036	.046	.056	-
------	------	------	------	------	------	------	---

12062 8-String Light

.010	.013	.017	.030	.042	.054	.064	.074
------	------	------	------	------	------	------	------

12074 7-String Light/Heavy

.010	.013	.017	.026	.036	.046	.059	-
------	------	------	------	------	------	------	---

12106 7-String Medium

.011	.014	.018	.028	.038	.049	.059	-
------	------	------	------	------	------	------	---

12450 12-String Light

E	B	G	D	A	E
.010	.013	.017	.026	.036	.046
.010	.013	.009	.012	.018	.026



PN Nickel Plated Steel with POLYWEB Technology

12000	Super Light
12025	Custom Light
12050	Light
12100	Medium

E-1	B-2	G-3	D-4	A-5	E-6
.009	.011	.016	.024	.032	.042
.009	.011	.016	.026	.036	.046
.010	.013	.017	.026	.036	.046
.011	.014	.018	.028	.038	.049

ELECTRIC BASS



PN	Nickel Plated Steel with NANOWEB® Technology
14002	4-String Super Light, Long Scale
14052	4-String Light, Long Scale
14077	4-String Light/Medium, Long Scale
14087	4-String Light/Medium, Extra Long Scale
14102	4-String Medium, Long Scale
14202	5-String Light, Long Scale
14207	5-String Light/Medium, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
.040	.060	.075	.095	-	-
.045	.065	.080	.100	-	-
.045	.065	.085	.105	-	-
.045	.065	.085	.105	-	-
.050	.070	.085	.105	-	-
.045	.065	.085	.105	.130	-
.045	.065	.085	.105	.135	-



PN	Stainless Steel with NANOWEB Technology
14652	4-String Light, Long Scale
14677	4-String Light/Medium, Long Scale
14702	4-String Medium, Long Scale
14777	5-String Light, Long Scale
14782	5-String Light/Medium, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
.045	.065	.080	.100	-	-
.045	.065	.085	.105	-	-
.050	.070	.085	.105	-	-
.045	.065	.085	.105	.130	-
.045	.065	.085	.105	.135	-

ELECTRIC BASS 5th & 6th STRING SINGLES



PN	Nickel Plated Steel with NANOWEB Technology Custom 5th and 6th String Singles
15332	Medium C
15425	Super Light B, Long Scale
15430	Light B, Long Scale
15432	Light B, Long Scale TaperWound
15433	Light B, Extra Long Scale, TaperWound
15435	Medium B, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
-	-	-	-	-	.032
-	-	-	-	.125	-
-	-	-	-	.130	-
-	-	-	-	.130tw	-
-	-	-	-	.130tw	-
-	-	-	-	.135	-



PN	Stainless Steel with NANOWEB Technology Custom 5th String Singles
13426	Super Light B, Long Scale
13436	Light B, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
-	-	-	-	.125	-
-	-	-	-	.130	-

ACOUSTIC BASS



PN	80/20 Bronze with NANOWEB Technology
14502	4-String Light, Long Scale

G-1	D-2	A-3	E-4	B-5	C-6
.045	.065	.080	.100	-	-

SINGLE STRINGS

Anti-Rust Plain Steel

PN	Gauge	PN	Gauge
13009	.009	13015	.015
13010	.010	13016	.016
13011	.011	13017	.017
13012	.012	13018	.018
13013	.013	13022	.022
13014	.014		

Acoustic 80/20 Bronze with

NANOWEB Technology	POLYWEB Technology	Gauge
PN	PN	
15122	13122	.022
15123	13123	.023
15124	13124	.024
15125	-	.025
15126	13126	.026
15127	13127	.027
15128	13128	.028
15130	13130	.030
15132	13132	.032
15135	13135	.035
15139	13139	.039
15142	13142	.042
15145	13145	.045
15147	13147	.047
15152	13152	.052
15153	13153	.053
15156	13156	.056
15159	13159	.059
15170	-	.070

Acoustic Phosphor Bronze with

NANOWEB Technology	Gauge
PN	
14122	.022
14123	.023
14124	.024
14125	.025
14126	.026
14127	.027
14130	.030
14132	.032
14135	.035
14139	.039
14142	.042
14145	.045
14147	.047
14152	.052
14153	.053
14156	.056

SINGLE STRINGS

Electric Nickel Plated Steel with

NANOWEB® Technology	POLYWEB® Technology	OPTIWEB® Technology	Gauge
PN	PN	PN	
15224	13224	16224	.024
15226	13226	16226	.026
15228	13228	16228	.028
15230	-	16230	.030
15232	13232	16232	.032
15236	13236	16236	.036
15238	13238	16238	.038
15242	13242	16242	.042
15246	13246	16246	.046
15249	13249	16249	.049
15252	-	16252	.052
15254	-	16254	.054
15256	-	16256	.056
15259	-	16259	.059
15260	-	16260	.060
15262	-	16262	.062
15264	-	16264	.064
15268	-	-	.068
15274	-	16274	.074
15280	-	16280	.080

Electric Bass Nickel Plated Steel with

NANOWEB Technology	Gauge
PN	
15332	.032
15340	.040
15345	.045
15350	.050
15360	.060
15365	.065
15370	.070
15375	.075
15380	.080
15385	.085
15395	.095
15400	.100
15405	.105
15406	.105 XL
15425	.125
15430	.130
15431	.130 XL
15432	.130tw L
15433	.130tw XL
15435	.135

Electric Bass Stainless Steel with

NANOWEB Technology	Gauge
PN	
13346	.045
13366	.065
13381	.080
13386	.085
13402	.100
13407	.105
13426	.125
13436	.130
13437	.135

Acoustic Bass 80/20 Bronze with

NANOWEB Technology	Gauge
PN	
15745	.045
15765	.065
15780	.080
15800	.100
15825	.125

CUSTOMER SERVICE INFORMATION

United States & Other Regions

W. L. Gore & Associates, Inc.
201 Airport Road
Elkton, MD 21921

Email: elixirstrings@wlgore.com

Phone: +1 800 367 5533

Europe

W. L. Gore & Associates GmbH
Hermann-Oberth-Str. 26
D-85640 Putzbrunn - Germany

Email: elixireurope@wlgore.com

Telefon: +49 89 4612 2242

